AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q61250

Appln. No.: 09/731,973

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (original): A method of recognizing a region corresponding to an image storage

sheet, comprising the steps of:

i) obtaining a read-out image, which has been acquired by covering an image storage

sheet that contains a color image with an image storage sheet pushing surface of a platen cover

and reading out an image of a region on the image storage sheet pushing surface of the platen

cover, the region on the image storage sheet pushing surface containing the image storage sheet,

and

ii) recognizing a region corresponding to the image storage sheet in the read-out image,

wherein the image storage sheet pushing surface of the platen cover has a color other than

colors which are ordinarily contained in image storage sheets, and

the region corresponding to the image storage sheet is recognized by judging that a pixel

in the read-out image, which pixel represents a color different from the color of the image

storage sheet pushing surface of the platen cover, is a pixel falling within the region

corresponding to the image storage sheet.

2. (original): A method of recognizing a region corresponding to an image storage sheet

as defined in Claim 1 wherein the image storage sheet is a color photoprint.

-2-

AMENDMENT UNDER 37 C.F.R. § 1.111 Appln. No.: 09/731,973

- 3. (original): A method of recognizing a region corresponding to an image storage sheet as defined in Claim 2 wherein the color of the image storage sheet pushing surface of the platen cover is a color outside a chromaticity range, which chromaticity range is approximately circumscribed with one of the following regions on L*a*b* chromaticity diagrams illustrating chromaticity coordinates (a*,b*):
- (1) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-28,15), (15,15), (32,-43), and (13,-43) as for a lightness of L*=5,
- (2) a triangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-33,20), (14,20), and (47,-92) as for a lightness of L*=10,
- (3) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-37,20), (26,20), (54,-73), and (30,-75) as for a lightness of L*=15,
- (4) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-38,20), (35,26), (57,-68), and (17,-72) as for a lightness of L*=20,
- (5) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-46,26), (44,34), (62,-64), and (6,-70) as for a lightness of L*=25,
- (6) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-57,33), (53,43), (67,-57), and (0,-68) as for a lightness of L*=30,
- (7) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-62,40), (61,51), (73,-56), and (-17,-62) as for a lightness of L*=35,

- (8) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-68,47), (57,58), (82,-52), and (-51,-57) as for a lightness of L*=40,
- (9) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-63,54), (53,54), (56,-47), and (-50,-53) as for a lightness of L*=45,
- (10) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-50,63), (46,71), (72,-45), and (-60,-48) as for a lightness of L*=50,
- (11) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-43,71), (39,76), (63,-41), and (-56,-44) as for a lightness of L*=55,
- (12) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-33,80), (31,85), (55,-36), and (-54,-39) as for a lightness of L*=60,
- (13) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-22,91), (24,91), (47,-32), and (-49,-34) as for a lightness of L*=65,
- (14) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-11,98), (17,98), (40,-27), and (-46,-27) as for a lightness of L*=70,
- (15) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-5,122), (6,123), (29,-23), and (-41,-23) as for a lightness of L*=75,
- (16) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-6,103), (5,103), (22,-17), and (-28,-17) as for a lightness of L*=80,
- (17) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-7,69), (4,70), (19,-15), and (-17,-15) as for a lightness of L*=85, and

AMENDMENT UNDER 37 C.F.R. § 1.111

Appln. No.: 09/731,973

(18) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-4,48), (7,48), (15,-12), and (-12,-12) as for a lightness of L*=90.

- 4. (original): A method of recognizing a region corresponding to an image storage sheet, comprising the steps of:
- i) obtaining a read-out image, which has been acquired by covering an image storage sheet that contains a color image with an image storage sheet pushing surface of a platen cover and reading out an image of a region on the image storage sheet pushing surface of the platen cover, the region on the image storage sheet pushing surface containing the image storage sheet, and
- ii) recognizing a region corresponding to the image storage sheet in the read-out image, wherein the image storage sheet pushing surface of the platen cover has a periodical pattern, which is composed of a plurality of different color areas arrayed in a predetermined order and in abutment with one another, and

the region corresponding to the image storage sheet is recognized by judging that a pixel in the read-out image, which pixel represents an image different from the periodical pattern, is a pixel falling within the region corresponding to the image storage sheet.

5. (original): A method of recognizing a region corresponding to an image storage sheet as defined in Claim 4 wherein a size of each of the color areas in the periodical pattern falls within the range of 0.1mm square to 1mm square.

AMENDMENT UNDER 37 C.F.R. § 1.111

Appln. No.: 09/731,973

6. (original): A method of recognizing a region corresponding to an image storage sheet as defined in Claim 4 wherein one period in the periodical pattern falls within the range of a value two times as large as a spatial resolving power of the read-out image to a value 20 times as large as the spatial resolving power of the read-out image.

- 7. (original): An image processing method, comprising the step of modeling a shape, which expresses boundaries of a region having been recognized as the region corresponding to the image storage sheet with a method of recognizing a region corresponding to an image storage sheet as defined in Claim 1, 2, 3, 4, 5, or 6, into a predetermined shape.
- 8. (original): An image processing method as defined in Claim 7 wherein an image of the region, which has been modeled into the predetermined shape, is located within a frame of a template, which has been prepared previously, and a template-appended image is thereby formed.
- 9. (original): An apparatus for recognizing a region corresponding to an image storage sheet, comprising:
- i) means for obtaining a read-out image, which has been acquired by covering an image storage sheet that contains a color image with an image storage sheet pushing surface of a platen cover and reading out an image of a region on the image storage sheet pushing surface of the platen cover, the region on the image storage sheet pushing surface containing the image storage sheet, and
- ii) recognition means for recognizing a region corresponding to the image storage sheet in the read-out image,

wherein the read-out image is an image having been read out by utilizing the platen cover provided with the image storage sheet pushing surface having a color other than colors which are ordinarily contained in image storage sheets, and

the recognition means recognizes the region corresponding to the image storage sheet by judging that a pixel in the read-out image, which pixel represents a color different from the color of the image storage sheet pushing surface of the platen cover, is a pixel falling within the region corresponding to the image storage sheet.

- 10. (original): An apparatus for recognizing a region corresponding to an image storage sheet, comprising:
- i) means for obtaining a read-out image, which has been acquired by covering an image storage sheet that contains a color image with an image storage sheet pushing surface of a platen cover and reading out an image of a region on the image storage sheet pushing surface of the platen cover, the region on the image storage sheet pushing surface containing the image storage sheet, and
- ii) recognition means for recognizing a region corresponding to the image storage sheet in the read-out image,

wherein the read-out image is an image having been read out by utilizing the platen cover provided with the image storage sheet pushing surface having a periodical pattern, which is composed of a plurality of different color areas arrayed in a predetermined order and in abutment with one another, and

AMENDMENT UNDER 37 C.F.R. § 1.111

Appln. No.: 09/731,973

the recognition means recognizes the region corresponding to the image storage sheet by judging that a pixel in the read-out image, which pixel represents an image different from the periodical pattern, is a pixel falling within the region corresponding to the image storage sheet.

- 11. (original): An image processing apparatus, comprising modeling means for modeling a shape, which expresses boundaries of a region having been recognized as the region corresponding to the image storage sheet with an apparatus for recognizing a region corresponding to an image storage sheet as defined in Claim 9 or 10, into a predetermined shape.
- 12. (original): An image processing apparatus as defined in Claim 11 further comprising image forming means for locating an image of the region, which has been modeled by the modeling means into the predetermined shape, within a frame of a template, which has been prepared previously, and thereby forming a template-appended image.
- 13. (original): A platen cover for use in an apparatus for reading out an image from an image storage sheet, the platen cover comprising an image storage sheet pushing surface having a color other than colors which are ordinarily contained in image storage sheets containing color images.
- 14. (original): A platen cover for use in an apparatus for reading out an image from an image storage sheet, the platen cover comprising an image storage sheet pushing surface having a color outside a chromaticity range, which chromaticity range is approximately circumscribed with one of the following regions on L*a*b* chromaticity diagrams illustrating chromaticity coordinates (a*,b*):

Appln. No.: 09/731,973

- (1) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-28,15), (15,15), (32,-43), and (13,-43) as for a lightness of L*=5,
- (2) a triangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-33,20), (14,20), and (47,-92) as for a lightness of L*=10,
- (3) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-37,20), (26,20), (54,-73), and (30,-75) as for a lightness of L*=15,
- (4) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-38,20), (35,26), (57,-68), and (17,-72) as for a lightness of L*=20,
- (5) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-46,26), (44,34), (62,-64), and (6,-70) as for a lightness of L*=25,
- (6) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-57,33), (53,43), (67,-57), and (0,-68) as for a lightness of L*=30,
- (7) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-62,40), (61,51), (73,-56), and (-17,-62) as for a lightness of L*=35,
- (8) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-68,47), (57,58), (82,-52), and (-51,-57) as for a lightness of L*=40,
- (9) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-63,54), (53,54), (56,-47), and (-50,-53) as for a lightness of L*=45,
- (10) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-50,63), (46,71), (72,-45), and (-60,-48) as for a lightness of L*=50,

AMENDMENT UNDER 37 C.F.R. § 1.111 Appln. No.: 09/731,973

(11) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-43,71), (39,76), (63,-41), and (-56,-44) as for a lightness of L*=55,

- (12) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-33,80), (31,85), (55,-36), and (-54,-39) as for a lightness of L*=60,
- (13) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-22,91), (24,91), (47,-32), and (-49,-34) as for a lightness of L*=65,
- (14) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-11,98), (17,98), (40,-27), and (-46,-27) as for a lightness of L*=70,
- (15) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-5,122), (6,123), (29,-23), and (-41,-23) as for a lightness of L*=75,
- (16) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-6,103), (5,103), (22,-17), and (-28,-17) as for a lightness of L*=80,
- (17) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-7,69), (4,70), (19,-15), and (-17,-15) as for a lightness of L*=85, and
- (18) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-4,48), (7,48), (15,-12), and (-12,-12) as for a lightness of L*=90.
- 15. (original): A platen cover for use in an apparatus for reading out an image from an image storage sheet, the platen cover comprising an image storage sheet pushing surface having a periodical pattern, which is composed of a plurality of different color areas arrayed in a predetermined order and in abutment with one another.

AMENDMENT UNDER 37 C.F.R. § 1.111 Appln. No.: 09/731,973

16. (original): A sheet for a platen cover, wherein one of opposite surfaces of the sheet has a color other than colors which are ordinarily contained in image storage sheets containing color images.

- 17. (original): A sheet for a platen cover, wherein one of opposite surfaces of the sheet has a color outside a chromaticity range, which chromaticity range is approximately circumscribed with one of the following regions on L*a*b* chromaticity diagrams illustrating chromaticity coordinates (a*,b*):
- (1) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-28,15), (15,15), (32,-43), and (13,-43) as for a lightness of L*=5,
- (2) a triangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-33,20), (14,20), and (47,-92) as for a lightness of L*=10,
- (3) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-37,20), (26,20), (54,-73), and (30,-75) as for a lightness of L*=15,
- (4) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-38,20), (35,26), (57,-68), and (17,-72) as for a lightness of L*=20,
- (5) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-46,26), (44,34), (62,-64), and (6,-70) as for a lightness of L*=25,
- (6) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-57,33), (53,43), (67,-57), and (0,-68) as for a lightness of L*=30,

AMENDMENT UNDER 37 C.F.R. § 1.111 Appln. No.: 09/731,973

- (7) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-62,40), (61,51), (73,-56), and (-17,-62) as for a lightness of L*=35,
- (8) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-68,47), (57,58), (82,-52), and (-51,-57) as for a lightness of L*=40,
- (9) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-63,54), (53,54), (56,-47), and (-50,-53) as for a lightness of L*=45,
- (10) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-50,63), (46,71), (72,-45), and (-60,-48) as for a lightness of L*=50,
- (11) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-43,71), (39,76), (63,-41), and (-56,-44) as for a lightness of L*=55,
- (12) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-33,80), (31,85), (55,-36), and (-54,-39) as for a lightness of L*=60,
- (13) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-22,91), (24,91), (47,-32), and (-49,-34) as for a lightness of L*=65,
- (14) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-11,98), (17,98), (40,-27), and (-46,-27) as for a lightness of L*=70,
- (15) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-5,122), (6,123), (29,-23), and (-41,-23) as for a lightness of L*=75,
- (16) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-6,103), (5,103), (22,-17), and (-28,-17) as for a lightness of L*=80,

AMENDMENT UNDER 37 C.F.R. § 1.111

Appln. No.: 09/731,973

(17) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-7,69), (4,70), (19,-15), and (-17,-15) as for a lightness of L*=85, and

- (18) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-4,48), (7,48), (15,-12), and (-12,-12) as for a lightness of L*=90.
- 18. (original): A sheet for a platen cover, wherein one of opposite surfaces of the sheet has a periodical pattern, which is composed of a plurality of different color areas arrayed in a predetermined order and in abutment with one another.
- 19. (currently amended): An apparatus for reading out an image from an image storage sheet, comprising wherein the improvement comprises the provision of a platen cover as defined in Claim 13 or 14. a platen cover for use in an apparatus for reading out an image from an image storage sheet, the platen cover comprising an image storage sheet pushing surface having a color other than colors which are ordinarily contained in image storage sheets containing color images.
- 20. (currently amended): An apparatus for reading out an image from an image storage sheet, wherein the improvement comprises the provision of a platen cover as defined in Claim 15. comprising a platen cover for use in an apparatus for reading out an image from an image storage sheet, the platen cover comprising an image storage sheet pushing surface having a periodical pattern, which is composed of a plurality of different color areas arrayed in a predetermined order and in abutment with one another.
- 21. (original): A recording medium, on which a program for causing a computer to execute a method of recognizing a region corresponding to an image storage sheet has been recorded and from which the computer is capable of reading the program,

AMENDMENT UNDER 37 C.F.R. § 1.111

Appln. No.: 09/731,973

wherein the program comprises the procedures for:

i) obtaining a read-out image, which has been read out by an apparatus for reading out an image from an image storage sheet as defined in Claim 19, and

- ii) recognizing the region corresponding to the image storage sheet by judging that a pixel in the read-out image, which pixel represents a color different from the color of the image storage sheet pushing surface of the platen cover, is a pixel falling within the region corresponding to the image storage sheet.
- 22. (original): A recording medium, on which a program for causing a computer to execute a method of recognizing a region corresponding to an image storage sheet has been recorded and from which the computer is capable of reading the program,

wherein the program comprises the procedures for:

- i) obtaining a read-out image, which has been read out by an apparatus for reading out an image from an image storage sheet as defined in Claim 20, and
- ii) recognizing the region corresponding to the image storage sheet by judging that a pixel in the read-out image, which pixel represents an image different from the periodical pattern, is a pixel falling within the region corresponding to the image storage sheet.
- 23. (new): A sheet for a plate cover according to claim 16, wherein said image storage sheets comprise a photoprint.
- 24. (new): A sheet for a plate cover according to claim 16, wherein said sheet is releasably fitted to the side of the platen cover.

AMENDMENT UNDER 37 C.F.R. § 1.111

Appln. No.: 09/731,973

- 25. (new): A sheet for a plate cover according to claim 24, wherein said sheet is fitted to said platen cover by at least one of double-faced adhesive tape, fitting claws and a hinge structure.
- 26. (new): An apparatus for reading out an image from an image storage sheet, comprising a platen cover for use in an apparatus for reading out an image from an image storage sheet, the platen cover comprising an image storage sheet pushing surface having a color outside a chromaticity range, which chromaticity range is approximately circumscribed with one of the following regions on L*a*b* chromaticity diagrams illustrating chromaticity coordinates (a*,b*):
- (1) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-28,15), (15,15), (32,-43), and (13,-43) as for a lightness of L*=5,
- (2) a triangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-33,20), (14,20), and (47,-92) as for a lightness of L*=10,
- (3) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-37,20), (26,20), (54,-73), and (30,-75) as for a lightness of L*=15,
- (4) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-38,20), (35,26), (57,-68), and (17,-72) as for a lightness of L*=20,
- (5) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-46,26), (44,34), (62,-64), and (6,-70) as for a lightness of L*=25,
- (6) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-57,33), (53,43), (67,-57), and (0,-68) as for a lightness of L*=30,

Appln. No.: 09/731,973

- (7) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-62,40), (61,51), (73,-56), and (-17,-62) as for a lightness of L*=35,
- (8) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-68,47), (57,58), (82,-52), and (-51,-57) as for a lightness of L*=40,
- (9) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-63,54), (53,54), (56,-47), and (-50,-53) as for a lightness of L*=45,
- (10) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-50,63), (46,71), (72,-45), and (-60,-48) as for a lightness of L*=50,
- (11) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-43,71), (39,76), (63,-41), and (-56,-44) as for a lightness of L*=55,
- (12) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-33,80), (31,85), (55,-36), and (-54,-39) as for a lightness of L*=60,
- (13) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-22,91), (24,91), (47,-32), and (-49,-34) as for a lightness of L*=65,
- (14) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-11,98), (17,98), (40,-27), and (-46,-27) as for a lightness of L*=70,
- (15) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-5,122), (6,123), (29,-23), and (-41,-23) as for a lightness of $L^*=75$,
- (16) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a^*,b^*) of (-6,103), (5,103), (22,-17), and (-28,-17) as for a lightness of L*=80,

AMENDMENT UNDER 37 C.F.R. § 1.111

Appln. No.: 09/731,973

(17) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-7,69), (4,70), (19,-15), and (-17,-15) as for a lightness of L*=85, and

Attorney Docket No.: Q61250

(18) a quadrangular region surrounded by lines connecting points having chromaticity coordinates (a*,b*) of (-4,48), (7,48), (15,-12), and (-12,-12) as for a lightness of L*=90.